



A man with glasses is shown in profile, lighting a cigarette. In the foreground, two women are depicted: one on the left is looking down at a small white object, and one on the right is holding her head in her hands, appearing to be in pain or distress. The background is a solid red color.

# A FAMILY IN CRISIS

A FATHER MUST CHANGE HIS HABITS TO SAVE HIS FAMILY



**THIS IS MARIO. HE WORKS TWO JOBS, AND HE AND HIS WIFE HAVE JUST BOUGHT THE FAMILY THEIR FIRST HOUSE.**




**AFTER A LONG DAY, WHEN MARIO GETS HOME, ALL HE WANTS TO DO IS SIT DOWN AND RELAX. HOW DOES HE DO IT? BY SMOKING CIGARETTES INSIDE THE HOUSE!**















**TWO YEARS LATER.....**

LOOK AT THIS GOOD DEAL! I THINK WE CAN AFFORD THIS NEW CAR.




WE'VE BEEN SAVING LOTS OF MONEY.

I KNOW WE HAVE MORE THAN ENOUGH FOR A DOWN PAYMENT.







THANK YOU FOR  
DOING THE RIGHT  
THING FOR YOUR  
FAMILY.

I'M PROUD OF  
YOU DAD.

THANKS! I FEEL  
LIKE I MADE A BIG  
CHANGE FOR THE  
BETTER.

## **THE DANGERS OF SECONDHAND SMOKE**

THE U.S. SURGEON GENERAL HAS CONCLUDED  
THAT BREATHING EVEN A LITTLE SECONDHAND  
SMOKE POSES A RISK TO YOUR HEALTH.

SECONDHAND SMOKE CAUSES LUNG CANCER.

SECONDHAND SMOKE CAUSES HEART DISEASE.

EVEN BRIEF EXPOSURE CAN TRIGGER  
RESPIRATORY SYMPTOMS, INCLUDING COUGH,  
PHLEGM, WHEEZING, AND BREATHLESSNESS.

BRIEF EXPOSURE TO SECONDHAND SMOKE CAN  
TRIGGER AN ASTHMA ATTACK IN CHILDREN  
WITH ASTHMA.

SECONDHAND SMOKE CAN CAUSE SUDDEN  
INFANT DEATH SYNDROME AND OTHER HEALTH  
CONSEQUENCES IN INFANTS AND CHILDREN.

## **WHEN YOU'RE READY TO QUIT**

CALL 1-877-YES-QUIT  
OR THE AMERICAN LUNG ASSOCIATION AT  
1-800-586-4872

VISIT [\*\*WWW.CDC.GOV/TOBACCO/\*\*](http://WWW.CDC.GOV/TOBACCO/)  
[\*\*HOW2QUIT.NTM\*\*](http://HOW2QUIT.NTM)